

VC925 DisplayPort to VGA Adapter

VC985 DisplayPort to HDMI Adapter

VC925



VC985



Installation

1. Connect the DisplayPort input of VC925/VC985 to the DisplayPort of your source device.
2. (a) For VC925, connect it to your VGA-enabled display device using a VGA cable.
(b) For VC985, connect it to your HDMI-enabled display device using an HDMI cable.

VC925 DisplayPort 轉 VGA 轉接器

VC985 DisplayPort 轉 HDMI 轉接器

VC925



VC985



操作說明

1. 將 VC925/VC985 上的 DisplayPort 接頭連接到 DisplayPort 來源裝置。
2. (a) 再用一條 VGA 線材將 VC925 連接至 VGA 顯示裝置。
(b) 再用一條 HDMI 線材將 VC985 連接至 HDMI 顯示裝置。

BSMI



D33866
RoHS

設備名稱: DisplayPort 轉 VGA 轉接器/ DisplayPort 轉 HDMI 轉接器 Equipment name				型號 (型式) : VC925/VC985 Type designation (Type)		
單元Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛Lead (Pb)	汞Mercury (Hg)	鎘Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
電纜線 Cable	—	○	○	○	○	○
印刷電路部 件 PCBA	—	○	○	○	○	○
塑膠/其他部 件 Plastic /Others parts	○	○	○	○	○	○
金屬部件 Metal parts	—	○	○	○	○	○
備考1. “超出0.1 wt %” 及 “超出0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準值。 Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考3. “—” 係指該項限用物質為排除項目。 Note 3 : The “-” indicates that the restricted substance corresponds to the exemption.						

代理商：宏正自動科技股份有限公司

地址：新北市汐止區大同路二段 125 號三樓

- 最大額定電壓: 3.3Vdc, 0.5A

- 最大操作環境溫度: 50°C

HDMITM
HIGH-DEFINITION MULTIMEDIA INTERFACE

The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrators, Inc.