

# 12-Key Network Remote Pad (EU, 2 Gang)

## VPK312

The VPK312 is a 12-key, network-based remote pad designed for use with ATEN Presentation Switches. It offers an intuitive interface for function control of the connected Presentation Switch from a standard 2-gang EU wall-mounted keypad. Created with flexibility in mind, the functions and layout of the keys can be easily customized via an intuitive web GUI to meet different application requirements.

Setting up the VPK312 is easy. Simply pair the VPK312 Remote Pad with a Presentation Switch over Ethernet, and the web GUI will assist you through the configuration. With up to 6 Remote Pads can be connected to one Presentation Switch, the VPK312 provides an scalable and affordable control interface to work with Presentation Switches that is perfect for any meeting room, class room, or lecture room.

Profession Template




Participant Template



Moderator Template









Rear View



All different templates are suitable for VP2730.

## Highlights


<p>Profession Template</p>	<p>The presenter can use the 12-Key Network Remote Pad to switch the video sources in a lecture hall or conference room.</p>  
<p>Participant Template</p>	<p>The meeting participant can use the 12-Key Network Remote Pad to adjust the microphone volume in a group meeting without interrupting the discussion flow.</p>  
<p>Moderator Template</p>	<p>The meeting moderator can use the 12-Key Network Remote Pad with VP2730 Presentation Switch to assist the presenter in a symposium.</p>  

## Features

- 12-key Network Remote Pad for ATEN Presentation Switches
- Easy pairing with a Presentation Switch via the host Presentation Switch's web console
- Effortless configuration via the intuitive web GUI
- Fully customizable for the functions and layout of the keys
- Dual-color button LEDs for clear indication and visibility
- Power redundancy supported when both DC power and Power over Ethernet (PoE) are supplied
- Convenient reset of system and network settings using the built-in reset button
- Firmware upgradable
- Engraved buttons for intuitive port indication and operation

**Note:** VPK312K1 provides 29 engraved buttons to support multiple function control with VP2730.

### VPK312 12-Key Network Remote Pad



## Specifications

● Video ● Audio ● Internet

VPK312	
<b>Interfaces</b>	
Keypad Layout	12 Engraved Buttons
Ethernet	<ul style="list-style-type: none"> <li>• 1 x RJ-45 Female, 10/100 BaseT</li> <li>• Supported Protocol: DHCP, HTTP/ HTTPS</li> <li>• DHCP-enabled. The following default IP settings will be used if no IP is assigned within 30 seconds: IP: 192.168.0.60 Subnet Mask: 255.255.255.0</li> </ul>
Reset Button	1 x Semi-recessed Pushbutton
Power Consumption	DC5V:0.8W; POE:1W
<b>Connectors</b>	
Power	2-pole Terminal Block Connector
<b>Environmental</b>	
Operating Temperature	0 – 40 °C
Storage Temperature	-20 – 60 °C
Humidity	0 – 80% RH, Non-Condensing
<b>Physical Properties</b>	
Housing	Plastic
Weight	0.20 kg
Dimensions (L x W x H)	8.32 x 14.76 x 4.80 cm
Faceplate Dimensions (L x W x H)	8.62 x 15.12 x 0.92 cm

### ATEN International Co., Ltd.

3F., No.125, Sec. 2, Datung Rd., Sijhih District., New Taipei City 221, Taiwan  
 Phone: 886-2-8692-6789 Fax: 886-2-8692-6767  
 www.aten.com E-mail: marketing@aten.com

Product information is subject to change without prior notice.

Released: 05/2024 V2.0

© Copyright 2024 ATEN® International Co. Ltd.  
 ATEN and the ATEN logo are registered trademarks of ATEN International Co., Ltd.  
 All rights reserved. All other trademarks are the property of their respective owners.  
 The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

